

XT 7000

Downsend Customer Unit



Upsend Customer Unit



CUSTOM BRANDING TO MATCH YOUR MARKETING OR ARCHITECTURAL COLORS

Select from a color palate of over 75,000 combinations to unify your company identity or architecture with your branch's remote transaction system.

MIX AND MATCH FROM A WIDE SELECTION OF EQUIPMENT TO MEET YOUR EXACT NEEDS

Select from a complete package of equipment that meets your needs. Sold and serviced by a trusted network of local professionals.

CUSTOMER FRIENDLY DESIGN

- The IXT 7000 Series continues to incorporate SSE's innovative "cut-away corner," which facilitates easy access of the carrier by the customer. Side-opening (standard) and end-opening carriers (optional) are available.
- Standard mounting base or optional 8" base allow you to position the customer unit at the optimal height to service the type of vehicles most often used by your customers. It also allows you to use different height units for different lanes while maintaining the same customer interface.
- Dual high/low stainless steel customer control buttons (Send and Call) make the system easy to use by customers in a wide range of vehicles

EASY TO SERVICE

- Completely serviceable from the front and sides eliminates the need for unnecessary lane obstruction by service personnel
- Blowers are located in the customer unit, which lowers installation cost and eliminates the need for canopy access

TUBE CONFIGURATIONS

- Available in Upsend and Downsend, 4" and 4 ½" configurations
- PVC and Steel tubing available to complete a package designed to meet your unique site requirements

COMPACT FOOTPRINT

- Installs easily on islands as narrow as 24"

ENVIRONMENTALLY FRIENDLY

- All construction materials used in customer and teller units are RoHS compliant – details available upon request
- All painted surfaces are powder coated, releasing no VOCs during manufacture



Optional fully integrated video with motorized tubing

IXT 7000

Show Your Colors

Remote Transaction Systems




ed one- or two-way color
t control on lane camera.

CUSTOM COLORS

The IXT 7000 Series Customer Units can be customized to match brand or architectural colors: Select a color for the base unit and another color for the two accent panels.*

The base unit panel comes with a standard powder coated black exterior. The audio/video panel and lower accent panel come with stainless steel as shown on the front cover.



*Over 75,000 color combinations

ENGINEERED FOR PERFORMANCE

- Patented high performance “PowerTwin” Turbine and “Smart Relay” technology provide increased customer throughput and extended turbine life
- The integrated soft landing feature extends carrier life as well as reduces system wear and tear
- Night lock feature

TELLER UNITS

The IXT 7000 offers maximum installation versatility as it can be used with any of the five standard IXT family of Teller Units.



*Upsend
Manual*



*Upsend
Automatic*



*Upsend Two-Sided
Manual (Rear View)*



*Downsend
Manual*



*Downsend
Automatic*