



Legion Vault Doors



VAULT DOOR FEATURES

FIRE LINED
BARRIER



9K
COMPOSITE
BARRIER





POLY CERAMIC
BARRIER
TECHNOLOGY



UL-RATED BARRIER TECHNOLOGY

Our three barrier technologies define the structure and burglary resistance of each model. The Fire-Lined Barrier offers an affordable yet durable layer of defense, stronger than most residential vault doors on the market. The 9K-Composite Barrier increases strength with a 3-inch reinforced core for exceptional residential security. At the top tier, our PolyCeramic Barrier uses patented technology from our TL-30x6 safes, making it one of the most advanced residential vault doors available today.



PANIC ROOM READY

Every Legion vault door is configured for panic room use, complete with a lockout handle that secures the space from the inside. Whether for safety, privacy, or preparedness, it's a seamless way to add an extra layer of personal protection.

BANK-GRADE SECURITY

Just like our safes, Legion vault doors are prepared with drill-resistant hard plates, intumescent fire seal, optional glass relockers, double relock systems, a secondary lock preparation, and bullet-resistant steel layer to further enhance security and resilience.



TEXTURED FINISHES

Designed to look as solid as they perform. Choose from a variety of textured finishes and colors, coated in durable, high-grade paint that stands up to time, wear, and environmental factors.

FIRE-RESISTANT DESIGN

Each door is fitted with an intumescent fire seal and engineered to resist high heat, offering up to 90 minutes of fire protection depending on the model. The fire seal expands under extreme heat, preventing smoke and flames from entering the room.

HARDWARE CHOICE

Select between mechanical or electronic locks, stainless-steel handles, and various hardware configurations. Every detail is customizable to match both function and style.

VAULT DOOR MODELS

Our vault doors are designed with the same precision and UL-rated barrier systems that define Legion's safes. Each model offers a different level of protection and customization, allowing you to turn any room into a secure, reliable, and beautifully finished safe space. Whether it's for valuables, privacy, or peace of mind, Legion vault doors combine thoughtful design with true security. Available in custom finishes and dimensions.



FIRE LINED VAULT DOOR

A dependable vault door that offers strong fire protection and reliable security. With a 60-minute fire rating using a fire-lined barrier, it's ideal for residential safe rooms or secure storage areas.



9K-COMPOSITE VAULT DOOR

A step up in both structure and endurance. The 9K-Composite Vault Door features a thicker 3-inch body and a 90-minute fire rating for those who want a more robust layer of protection. It's refined, resilient, and fully customizable to fit your space and aesthetic.



TL-30 VAULT DOOR

Bank-grade protection inspired by our high-security safes. With a 4-inch thick barrier, the TL-30 Vault Door uses our exclusive PolyCeramic Barrier Technology, engineered to resist advanced tool attacks while staying lighter and more efficient than traditional builds.

Rating	Residential Security Container
Door	2-inch Thick Door
Barrier	FireLined Barrier
Style	Inswing or Outswing
Fire-rate	*60-minute Intumescent Fire Seal
Includes	Drill resistive hard plate Intumescent fire seal Electronic or mechanical lock Panic room lockout handle
Custom	Dimensions Color Finish
Extras	Bulletproof Steel Sheet Glass-Relocker Double relock system Second lock High-grade polished stainless steel cladding on inner door

Rating	Residential Security Container
Door	3-inch Thick Door
Barrier	9K-Composite Barrier
Style	Inswing or Outswing
Fire-rate	*90-minute Intumescent Fire Seal
Includes	Drill resistive hard plate Stainless steel pull handle Intumescent fire seal Electronic or mechanical lock Panic room lockout handle
Custom	Dimensions Color Finish
Extras	Bulletproof Steel Sheet Glass-Relocker Double relock system Second lock High-grade polished stainless steel cladding on inner door

Rating	30-min Tool Resistant
Door	4-inch Thick Door
Barrier	PolyCeramic Barrier
Style	Inswing or Outswing
Fire-rate	*90-minute Intumescent Fire Seal
Includes	Drill resistive hard plate Stainless steel push plates Intumescent fire seal Electronic or mechanical lock Panic room lockout handle
Custom	Dimensions Color Finish
Extras	Bulletproof Steel Sheet Glass-Relocker Double relock system Second lock High-grade polished stainless steel cladding on inner door

*Based on the construction of the room. The fire ratings listed above refer to the door only.

FIRELINED BARRIER



FIRE LINED VAULT DOOR

Residential Security Container Rating


The Fire-Lined Vault Door pairs a 2-inch barrier with a 60-minute fire rating, giving homeowners dependable security without unnecessary bulk. It's a clean, practical solution for safe rooms, valuables storage, or enhancing privacy; fully customizable in size, color, and finish.

DOOR THICKNESS	2 Inch
BURGLARY RATING (Safe Rating)	Residential Security Container
LOCK TYPE	UL Type 1 Digital Lock
DOOR ORIENTATION	Right or Left
DOOR SWING	In-swing or Out-swing
HANDLE TYPE	Tri-spoke or Round
FILL TYPE	Fire Liner
WARRANTY	2 Year (all parts & labor) / excludes all digital components
FIRE RATING	60-min Based on the construction of the room. This applies to the door only.
CUSTOMIZABLE?	Yes

MODEL	VDF-10-30	VDF-10-36
DOOR DIMENSIONS (H x W Inches)	80 x 30	80 x 36
FRAME DIMENSIONS (H x W Inches)	84 x 38	84 x 44
ROUGH OPENING (H x W Inches)	82.75 x 35.5	82.75 x 41.5
WEIGHT (lbs)	900	1200
DOOR THICKNESS	2"	2"
WALL THICKNESS	3.5 - 5.5"	3.5 - 5.5"

RESIDENTIAL VAULT DOORS ARE EQUIPPED WITH

- + Drill resistive hard plate
- + Stainless steel push plates
- + Intumescent fire seal
- + Electronic or mechanical lock
- + Panic room lockout handle



ADD-ONS

- + Bullet-resistant layer
- + Glass re-locker
- + Double relock system
- + Second electronic or mechanical lock
- + High grade polished stainless steel cladding on inner door

9K COMPOSITE BARRIER



9K-COMPOSITE VAULT DOOR

Residential Security Container Rating


Built for those who want a stronger, more reinforced structure, the 9K-Composite model features a 3-inch composite barrier and a 90-minute fire rating. The added thickness provides superior rigidity and heat resistance while still maintaining a sleek, residential-friendly design. Ideal for collectors and secure home vaults seeking elevated protection.

DOOR THICKNESS	3 Inch
BURGLARY RATING (Safe Rating)	Residential Security Container
LOCK TYPE	UL Type 1 Digital Lock
DOOR ORIENTATION	Right or Left
DOOR SWING	In-swing or Out-swing
HANDLE TYPE	Tri-spoke
FILL TYPE	Composite (9000 psi reinforced concrete)
WARRANTY	2 Year (all parts & labor) / excludes all digital components
FIRE RATING	90-min Based on the construction of the room. This applies to the door only.
CUSTOMIZABLE?	Yes

MODEL	VDF-10-30	VDF-10-36
DOOR DIMENSIONS (H x W Inches)	80 x 30	80 x 36
FRAME DIMENSIONS (H x W Inches)	84 x 38	84 x 44
ROUGH OPENING (H x W Inches)	82.75 x 35.5	82.75 x 41.5
WEIGHT (lbs)	1350	1650
DOOR THICKNESS	3"	3"
WALL THICKNESS	3.5 - 5.5"	3.5 - 5.5"

RESIDENTIAL VAULT DOORS ARE EQUIPPED WITH

- + Drill resistive hard plate
- + Stainless steel push plates
- + Intumescent fire seal
- + Electronic or mechanical lock
- + Panic room lockout handle



ADD-ONS

- + Bullet-resistant layer
- + Glass re-locker
- + Double relock system
- + Second electronic or mechanical lock
- + High grade polished stainless steel cladding on inner door



TL-30 VAULT DOOR

TL-30 Construction

Our highest-performing model, engineered with the same PolyCeramic Barrier technology found in Legion's UL-rated TL-30x6 safes. This 4-inch barrier offers advanced tool resistance in a lighter, more efficient build. Perfect for high-value rooms, professional-grade vaults, or anyone who wants top-tier security with modern customization.


DOOR THICKNESS	4 Inch
BURGLARY RATING (Safe Rating)	TL-30 (tool resisant for 30-min)
LOCK TYPE	UL Type 1 Digital Lock
DOOR ORIENTATION	Right or Left
DOOR SWING	In-swing or Out-swing
HANDLE TYPE	Tri-spoke
FILL TYPE	PolyCeramic
WARRANTY	2 Year (all parts & labor) / excludes all digital components
FIRE RATING	90-min Based on the construction of the room. This applies to the door only.
CUSTOMIZABLE?	Yes



MODEL	VDP-10-30	VDP-10-36
DOOR DIMENSIONS (H x W Inches)	80 x 30	80 x 36
FRAME DIMENSIONS (H x W Inches)	84 x 38	84 x 44
ROUGH OPENING (H x W Inches)	82.75 x 35.5	82.75 x 41.5
WEIGHT (lbs)	1250	1550
DOOR THICKNESS	4"	4"
WALL THICKNESS	3.5 - 5.5"	3.5 - 5.5"

RESIDENTIAL VAULT DOORS ARE EQUIPPED WITH

- + Drill resistive hard plate
- + Stainless steel push plates
- + Intumescent fire seal
- + Electronic or mechanical lock
- + Panic room lockout handle



ADD-ONS

- + Bullet-resistant layer
- + Glass re-locker
- + Double relock system
- + Second electronic or mechanical lock
- + High grade polished stainless steel cladding on inner door

VAULT DOOR HARDWARE

Select between mechanical or electronic locks, stainless-steel handles, and various hardware configurations. Every detail is customizable to match both function and style.

PULL HANDLE



Square



Tubular

HANDLE



Tri-spoke



Round

STAINLESS STEEL FACE PLATE



LOCK



Electronic



Mechanical




VAULT DOOR


ADDITIONAL INFO

DOOR ORIENTATION AND SWINGS


RIGHT OUT-SWING




LEFT OUT-SWING



RIGHT IN-SWING




LEFT IN-SWING



An in-swing door (internal hinge) opens inward, making it ideal for panic rooms or shelters where access from outside may be blocked.


An out-swing door (external hinge) opens outward to a full 180°, offering greater accessibility and convenience in rooms with limited space.

ROUGH OPENING & WALL THICKNESS



Measure the height and width of your rough opening carefully. For maximum strength and fire protection, we recommend mounting the door directly to a concrete wall or a reinforced wood structure. When checking wall thickness, measure the total width in three different spots to ensure precision and a perfect fit.

FIT



The frame clamps securely to the wall, locking both sides in place, while heavy-duty screws anchor the door to the structure for strength and stability.

DON'T KNOW WHERE TO START?

1. Define the Purpose

Is it for a safe room or panic room, a gun vault, a secure storage area? This determines the right security rating, thickness, and hardware configuration.

2. Assess the Space

Measure your rough opening: height, width, and wall thickness; and note your wall material (concrete, wood, or block). This ensures your vault door can be mounted securely and seal correctly once installed.

3. Choose the Security Level

Legion vault doors use the same UL-rated barrier technologies found in our safes, giving you options that range from reinforced fire-lined doors to PolyCeramic composite barriers capable of resisting advanced attacks.

4. Select Door Swing & Orientation

Understanding the purpose of the space will help determine the door swing, from there, assess the space and select the orientation that is most efficient.

5. Customize the Fit & Finish

You can pick color, and handle style to match your space. Some even add bullet-resistant layers or dual locks for higher-risk scenarios.

6. Plan the Installation

Vault doors are heavy, precision-built structures that demand proper installation. We recommend consulting structural contractors familiar with high-security doors. Verify your wall and floor can support the weight of the vault door and that access routes can accommodate the delivery crate. Our professional installation teams ensure doors are correctly installed every time.

VAULT DOOR INSPO

Need inspiration? Take a peek at our past projects. From panic rooms to luxury vaults, Legion doors adapt to your vision. Every space is unique, every door, fully tailored. Explore how our vault doors integrate seamlessly into modern homes, secure basements, and commercial environments.





Service You Deserve, Tradition You Trust

Since 1905, Wilson Safe Company has been a trusted partner in security, providing top-quality safes, vaults, and vault doors. Our extensive inventory, combined with industry-leading expertise, ensures that businesses receive the most reliable protection for their assets.

CUSTOM IS OUR GAME

Choose from a range of security levels, dimensions, and interior layouts to design a vault door that perfectly fits your space and safeguards your most valued possessions. Our expert team is here to guide you through every step, ensuring that your custom door not only meets but exceeds your security expectations with ease and precision.

CONTACT

info@wilsonsafe.com
800.345.8053
wilsonsafe.com

